

# Special Senses 1

For Bio 250  
From Martini's Human Anatomy & Physiology

---

---

---

---

---

---

---

---

- ## The Senses
- General senses of touch
    - Temperature
    - Pressure
    - Pain
  - Special senses
    - Smell
    - Taste
    - Sight
    - Hearing
    - Equilibrium
- Copyright © 2003 Pearson Education, Inc. publishing as Benjamin Cummings *Slide 8.1*

---

---

---

---

---

---

---

---

- ## The Eye and Vision
- 70 percent of all sensory receptors are in the eyes
  - Each eye has over a million nerve fibers
  - Protection for the eye
    - Most of the eye is enclosed in a bony orbit
    - A cushion of fat surrounds most of the eye
- Copyright © 2003 Pearson Education, Inc. publishing as Benjamin Cummings *Slide 8.2*

---

---

---

---

---

---

---

---

## Accessory Structures of the Eye

- Eyelids
- Eyelashes




Figure 8.1b

Copyright © 2003 Pearson Education, Inc. publishing as Benjamin Cummings

Slide 8.3a

---

---

---

---

---

---

---

---

## Accessory Structures of the Eye

- Meibomian glands – modified sebaceous glands produce an oily secretion to lubricate the eye




Figure 8.1b

Copyright © 2003 Pearson Education, Inc. publishing as Benjamin Cummings

Slide 8.3b

---

---

---

---

---

---

---

---

## Accessory Structures of the Eye

- Ciliary glands – modified sweat glands between the eyelashes




Figure 8.1b

Copyright © 2003 Pearson Education, Inc. publishing as Benjamin Cummings

Slide 8.3c

---

---

---

---

---

---

---

---

## Accessory Structures of the Eye

- Conjunctiva
  - Membrane that lines the eyelids
  - Connects to the surface of the eye
  - Secretes mucus to lubricate the eye

Copyright © 2003 Pearson Education, Inc. publishing as Benjamin Cummings

Slide 8.4a

---

---

---

---

---

---

---

---

## Accessory Structures of the Eye

- Lacrimal apparatus
  - Lacrimal gland – produces lacrimal fluid
  - Lacrimal canals – drains lacrimal fluid from eyes




Figure 8.1a

Copyright © 2003 Pearson Education, Inc. publishing as Benjamin Cummings

Slide 8.4b

---

---

---

---

---

---

---

---

## Accessory Structures of the Eye

- Lacrimal sac – provides passage of lacrimal fluid towards nasal cavity




Figure 8.1a

Copyright © 2003 Pearson Education, Inc. publishing as Benjamin Cummings

Slide 8.4c

---

---

---

---

---

---

---

---

## Accessory Structures of the Eye

- Nasolacrimal duct – empties lacrimal fluid into the nasal cavity




Figure 8.1a

Copyright © 2003 Pearson Education, Inc. publishing as Benjamin Cummings

Slide 8.4d

---

---

---

---

---

---

---

---

---

---

## Function of the Lacrimal Apparatus

- Properties of lacrimal fluid
  - Dilute salt solution (tears)
  - Contains antibodies and lysozyme
- Protects, moistens, and lubricates the eye
- Empties into the nasal cavity

Copyright © 2003 Pearson Education, Inc. publishing as Benjamin Cummings

Slide 8.5

---

---

---

---

---

---

---

---

---

---

## Extrinsic Eye Muscles

- Muscles attach to the outer surface of the eye
- Produce eye movements




Figure 8.2

Copyright © 2003 Pearson Education, Inc. publishing as Benjamin Cummings

Slide 8.6

---

---

---

---

---

---

---


---

---

---

## Structure of the Eye

- The wall is composed of three tunics
  - Fibrous tunic – outside layer
  - Choroid – middle layer
  - Sensory tunic – inside layer



Copyright © 2003 Pearson Education, Inc. publishing as Benjamin Cummings

Slide 8.7

---

---

---

---

---

---

---

---

## The Fibrous Tunic

- Sclera
  - White connective tissue layer
  - Seen anteriorly as the “white of the eye”
- Cornea
  - Transparent, central anterior portion
  - Allows for light to pass through
  - Repairs itself easily
  - The only human tissue that can be transplanted without fear of rejection

Copyright © 2003 Pearson Education, Inc. publishing as Benjamin Cummings

Slide 8.8

---

---

---

---

---

---

---

---

## Choroid Layer

- Blood-rich nutritive tunic
- Pigment prevents light from scattering
- Modified interiorly into two structures
  - Ciliary body – smooth muscle
  - Iris
    - Pigmented layer that gives eye color
    - Pupil – rounded opening in the iris

Copyright © 2003 Pearson Education, Inc. publishing as Benjamin Cummings

Slide 8.9

---

---

---

---

---

---

---

---

## Sensory Tunic (Retina)

- Contains receptor cells (photoreceptors)
  - Rods
  - Cones
- Signals pass from photoreceptors via a two-neuron chain
  - Bipolar neurons
  - Ganglion cells
- Signals leave the retina toward the brain through the optic nerve

Copyright © 2003 Pearson Education, Inc. publishing as Benjamin Cummings

Slide 8.10

---

---

---

---


---

---

---

---

## Neurons of the Retina



Copyright © 2003 Pearson Education, Inc. publishing as Benjamin Cummings

Figure 8.4

Slide 8.11

---

---

---

---

---

---

---

---

## Neurons of the Retina and Vision

- Rods
  - Most are found towards the edges of the retina
  - Allow dim light vision and peripheral vision
  - Perception is all in gray tones

Copyright © 2003 Pearson Education, Inc. publishing as Benjamin Cummings

Slide 8.12a

---

---

---

---

---

---

---

---

## Neurons of the Retina and Vision

- Cones
  - Allow for detailed color vision
  - Densest in the center of the retina
  - Fovea centralis – area of the retina with only cones
- No photoreceptor cells are at the optic disk, or blind spot

Copyright © 2003 Pearson Education, Inc. publishing as Benjamin Cummings

Slide 8.12b

---

---

---

---

---


---

---

---

## Cone Sensitivity

- There are three types of cones
- Different cones are sensitive to different wavelengths
- Color blindness is the result of lack of one cone type



Copyright © 2003 Pearson Education, Inc. publishing as Benjamin Cummings

Figure 8.6

Slide 8.13

---

---

---

---

---


---

---

---

## Lens

- Biconvex crystal-like structure
- Held in place by a suspensory ligament attached to the ciliary body



Copyright © 2003 Pearson Education, Inc. publishing as Benjamin Cummings

Slide 8.14

---

---

---

---

---

---

---

---

## Internal Eye Chamber Fluids

- Aqueous humor
  - Watery fluid found in chamber between the lens and cornea
  - Similar to blood plasma
  - Helps maintain intraocular pressure
  - Provides nutrients for the lens and cornea
  - Reabsorbed into venous blood through the canal of Schlemm

Copyright © 2003 Pearson Education, Inc. publishing as Benjamin Cummings

Slide  
8.15a

---

---

---

---

---

---

---

---

## Internal Eye Chamber Fluids

- Vitreous humor
  - Gel-like substance behind the lens
  - Keeps the eye from collapsing
  - Lasts a lifetime and is not replaced

Copyright © 2003 Pearson Education, Inc. publishing as Benjamin Cummings

Slide  
8.15b

---

---

---

---

---


---

---

---

## Lens Accommodation

- Light must be focused to a point on the retina for optimal vision
- The eye is set for distance vision (over 20 ft away)
- The lens must change shape to focus for closer objects



Copyright © 2003 Pearson Education, Inc. publishing as Benjamin Cummings

Figure 8.9

Slide 8.16

---

---

---

---

---

---

---

---

## Images Formed on the Retina




Figure 8.10

Copyright © 2003 Pearson Education, Inc. publishing as Benjamin Cummings

Slide 8.17

---

---

---

---

---

---

---

---

## Visual Pathway

- Photoreceptors of the retina
- Optic nerve
- Optic nerve crosses at the optic chiasma




Figure 8.11

Copyright © 2003 Pearson Education, Inc. publishing as Benjamin Cummings

Slide 8.18a

---

---

---

---

---

---

---

---

## Visual Pathway

- Optic tracts
- Thalamus (axons form optic radiation)
- Visual cortex of the occipital lobe




Figure 8.11

Copyright © 2003 Pearson Education, Inc. publishing as Benjamin Cummings

Slide 8.18b

---

---

---

---

---

---

---

---

## Eye Reflexes

- Internal muscles are controlled by the autonomic nervous system
  - Bright light causes pupils to constrict through action of radial and ciliary muscles
  - Viewing close objects causes accommodation
- External muscles control eye movement to follow objects
- Viewing close objects causes convergence (eyes moving medially)

Copyright © 2003 Pearson Education, Inc. publishing as Benjamin Cummings

Slide 8.19

---

---

---

---

---

---

---

---